

# SAFETY INFORMATION SHEET

# POLYPROPYLENE RE420MO

## 1. IDENTIFICATION

Product name: RE420MO

Intended use: Raw material for plastic industry.

Manufacturer: Abu Dhabi Polymers Co. Ltd (Borouge)

Address: P. O. Box 11764, Ruwais, U. A. E.

Telephone: +9712 6020600 Facsimile: +9712 6020771

Supplier: Borouge Pte Ltd

Address: 1 George Street, #18-01, Singapore 049145

Telephone: +65 6275 4100 Facsimile: +65 6377 1233 Email: info@borouge.com

## 2. HAZARDS IDENTIFICATION

## **GHS** classification

Physical: No classification. Health: No classification. Environmental: No classification.

Other hazards: The product burns, but is not classified as flammable. Inhalation of dust may

irritate the respiratory tract. Prolonged inhalation of high doses of decomposition

products may give headache or irritation of the respiratory tract.

Dust from the product (when mixed with air in critical proportions and in the

presence of an ignition source) may present a dust explosion hazard.

Spilled material may present a slipping hazard.

#### **GHS** label elements

Pictograms: Nil.
Signal word: Nil.
Hazard statements: Nil.
Precautionary statements: Nil.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

The product is a Polypropylene random copolymer.

Contains no substance classified as hazardous in concentrations, which should be taken into account according to Singapore Standard SS 586: Part 2: 2014 (Globally Harmonized System of classification and labeling of chemicals – Singapore adaptations).

## 4. FIRST AID MEASURES

Inhalation: If experiencing respiratory symptoms: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical advice / attention.

Skin contact: Cool molten product on skin with plenty of water.

Do not remove solidified product.

Borouge Pte Ltd 1 George Street, #18-01 Singapore 049145

T +65 6275 4100 F +65 6377 1233





Eye contact: No specific instruction needed. Ingestion: No specific instruction needed.

## 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Water in spread jet, dry chemicals, foam or Carbon Dioxide.

Specific hazards during fire fighting: Product will burn under fire conditions. Dust from the product (when

mixed with air in critical proportions and in the presence of an ignition

source) may present a dust explosion hazard.

Principal toxicant in the smoke is Carbon Monoxide.

Fire fighters should wear self-contained breathing apparatus, boots, Special protective actions for fire gloves, goggles and full protective clothing. Extinguish from the

upwind direction.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment emergency and

measures:

fighters:

Methods for cleaning up:

No flames, No sparks. Eliminate all sources of ignition. breathing dust. Use personal protective equipment as required. Refer

to Section 8: Exposure Controls / Personal Protection. Suck or sweep up spill. All spill of material must be removed

immediately to prevent slipping accidents.

## 7. HANDLING AND STORAGE

Handling: During processing and thermal treatment of the product, small amounts of volatile hydrocarbons

> may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Dust from the product gives a potential risk for dust explosion. Avoid the formation or spread of dust in the atmosphere. Avoid the build-up of dust. Clean regularly. Ground / bond container and receiving equipment. Take precautionary

measures against static discharge.

Safety aspects do not require any special precautions in terms of storage. The product should be Storage:

> stored in dry conditions at temperatures below 50°C and protected from UV-light. More information on storage can be found in Product Data Sheet (PDS) for this product.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	Basis	Control parameters / Occupational exposure limits	
Inhalable dust:	USA / ACGIH	TLV-TWA:	10 mg/m <sup>3</sup>
	UK HSE EH40/2005	8 hr TWA:	10 mg/m <sup>3</sup>
Respirable dust:	USA / ACGIH	TLV-TWA:	3 mg/m <sup>3</sup>
	UK HSE EH40/2005	8 hr TWA:	4 mg/m <sup>3</sup>

Engineering controls: Extraction to remove dust at its source. Provide adequate ventilation. Local

exhaust ventilation may be necessary.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid, natural colour Melting point / range: 130 - 170 °C Odour: Odourless Ignition temperature: > 320 °C

Density:  $0.9 - 1.0 \text{ g/cm}^3$ Solubility in water: Insoluble in water

Borouge Pte Ltd 1 George Street, #18-01 Singapore 049145 T +65 6275 4100 F +65 6377 1233





#### 10. STABILITY AND REACTIVITY

Chemical stability: The product is a stable thermoplastic.

Reactivity: No chemical reactivity.

Conditions to avoid: Dusty conditions, heat, open flame, spark, static electricity.

Incompatible materials: Nil.

Hazardous decomposition products: On combustion releases: Oxides of Carbon.

## 11. TOXICOLOGICAL INFORMATION

The product is not classified as a hazardous mixture according to Singapore Standard SS 586: Part 2: 2014 (Globally Harmonized System of classification and labeling of chemicals – Singapore adaptations). However, inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

## 12. ECOLOGICAL INFORMATION

The product is not classified as hazardous to the environment according to Singapore Standard SS 586: Part 2: 2014 (Globally Harmonized System of classification and labeling of chemicals – Singapore adaptations).

## 13. DISPOSAL CONSIDERATIONS

Reuse or recycle if not contaminated. The product may be safely used as fuel. Proper combustion does not require any special flue gas control. Check with local regulations.

## 14. TRANSPORT INFORMATION

Land (RID / ADR): Not regulated.
Sea (IMO / IMDG): Not regulated.
Air (ICAO-IATA): Not regulated.

#### 15. REGULATORY INFORMATION

Chemical inventory	Status
Australia / AIIC:	Υ
Canada / DSL:	Υ
China / IECSC:	Υ
Europe / EINECS or ELINCS or NLP:	Р
Japan / ENCS:	Υ
Korea / KECI:	Υ
New Zealand / NZIoC:	Е
Philippines / PICCS:	Υ
Taiwan / TCSI	Υ
USA / TSCA (all relevant ingredients designated as active):	Υ

- Y = All ingredients are on the inventory.
- E = All ingredients are on the inventory or exempt from listing.
- P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.
- N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

Borouge Pte Ltd 1 George Street, #18-01 Singapore 049145 T +65 6275 4100 F +65 6377 1233





## **16. OTHER INFORMATION**

Reasons for revision: Changes and / or additions made to Sections 2, 7,15 and 16.

Prepared by: Product Stewardship Specialist

Date prepared: 18/09/2020
Document No.: CHSE-SIS-069

Rev. No.: 5

For more information:

Website: <a href="mailto:www.borouge.com">www.borouge.com</a> | Email: <a href="mailto:product.stewardship@borouge.com">product.stewardship@borouge.com</a>

## **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication, however, we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borouge makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borouge's products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

