

SAFETY INFORMATION SHEET

POLYPROPYLENE

HE125MO

1. IDENTIFICATION

Product name: HE125MO
 Intended use: Raw material for plastic industry.
 Manufacturer: Abu Dhabi Polymers Co. Ltd (Borouge)
 Address: P. O. Box 11764, Ruwais, U. A. E.
 Telephone: +9712 6020600
 Facsimile: +9712 6020771
 Supplier: Borouge Pte Ltd
 Address: 1 George Street, #18-01, Singapore 049145
 Telephone: +65 6275 4100
 Facsimile: +65 6377 1233
 Email: info@borouge.com

2. HAZARDS IDENTIFICATION

GHS classification

Physical: No classification.
 Health: No classification.
 Environmental: No classification.
 Other hazards: The product burns, but is not classified as flammable. Inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract. Dust from the product (when mixed with air in critical proportions and in the presence of an ignition source) may present a dust explosion hazard. Spilled material may present a slipping hazard.

GHS label elements

Pictograms: Nil.
 Signal word: Nil.
 Hazard statements: Nil.
 Precautionary statements: Nil.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The product is a Polypropylene homopolymer.
 Contains no substance classified as hazardous in concentrations, which should be taken into account according to Singapore Standard SS 586 : Part 2 : 2014 (Globally Harmonized System of classification and labeling of chemicals – Singapore adaptations).

4. FIRST AID MEASURES

Inhalation: If experiencing respiratory symptoms: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice / attention.
 Skin contact: Cool molten product on skin with plenty of water.
 Do not remove solidified product.

Borouge Pte Ltd
 1 George Street, #18-01
 Singapore 049145
 T +65 6275 4100 F +65 6377 1233

Borouge is a joint venture of ADNOC and Borealis
 Company Registration Number 199801755H

Eye contact: No specific instruction needed.
 Ingestion: No specific instruction needed.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Water in spread jet, dry chemicals, foam or Carbon Dioxide.
 Specific hazards during fire fighting: Product will burn under fire conditions. Dust from the product (when mixed with air in critical proportions and in the presence of an ignition source) may present a dust explosion hazard.
 Principal toxicant in the smoke is Carbon Monoxide.
 Special protective actions for fire fighters: Fire fighters should wear self-contained breathing apparatus, boots, gloves, goggles and full protective clothing. Extinguish from the upwind direction.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures: No flames, No sparks. Eliminate all sources of ignition. Avoid breathing dust. Use personal protective equipment as required. Refer to Section 8: Exposure Controls / Personal Protection.
 Methods for cleaning up: Suck or sweep up spill. All spill of material must be removed immediately to prevent slipping accidents.

7. HANDLING AND STORAGE

Handling: During processing and thermal treatment of the product, small amounts of volatile hydrocarbons may be released. Provide adequate ventilation. Local exhaust ventilation may be necessary. Avoid inhalation of dust and decomposition fumes. Dust from the product gives a potential risk for dust explosion. Avoid the formation or spread of dust in the atmosphere. Avoid the build-up of dust. Clean regularly. Ground / bond container and receiving equipment. Take precautionary measures against static discharge.
 Storage: Safety aspects do not require any special precautions in terms of storage. The product should be stored in dry conditions at temperatures below 50 °C and protected from UV-light. More information on storage can be found in Product Data Sheet (PDS) for this product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	Basis	Control parameters / Occupational exposure limits
Inhalable dust:	USA / ACGIH	TLV-TWA: 10 mg/m ³
	UK HSE EH40/2005	8 hr TWA: 10 mg/m ³
Respirable dust:	USA / ACGIH	TLV-TWA: 3 mg/m ³
	UK HSE EH40/2005	8 hr TWA: 4 mg/m ³

Engineering controls: Extraction to remove dust at its source. Provide adequate ventilation. Local exhaust ventilation may be necessary.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid, natural colour Melting point / range: 130 – 170 °C
 Odour: Odourless Ignition temperature: > 320 °C
 Density: 0.9 – 1.0 g/cm³ Solubility in water: Insoluble in water

Borouge Pte Ltd
 1 George Street, #18-01
 Singapore 049145
 T +65 6275 4100 F +65 6377 1233

Borouge is a joint venture of ADNOC and Borealis
 Company Registration Number 199801755H

10. STABILITY AND REACTIVITY

Chemical stability:	The product is a stable thermoplastic.
Reactivity:	No chemical reactivity.
Conditions to avoid:	Dusty conditions, heat, open flame, spark, static electricity.
Incompatible materials:	Nil.
Hazardous decomposition products:	On combustion releases: Oxides of Carbon.

11. TOXICOLOGICAL INFORMATION

The product is not classified as a hazardous mixture according to Singapore Standard SS 586 : Part 2 : 2014 (Globally Harmonized System of classification and labeling of chemicals – Singapore adaptations). However, inhalation of dust may irritate the respiratory tract. Prolonged inhalation of high doses of decomposition products may give headache or irritation of the respiratory tract.

12. ECOLOGICAL INFORMATION

The product is not classified as hazardous to the environment according to Singapore Standard SS 586 : Part 2 : 2014 (Globally Harmonized System of classification and labeling of chemicals – Singapore adaptations).

13. DISPOSAL CONSIDERATIONS

Reuse or recycle if not contaminated. The product may be safely used as fuel. Proper combustion does not require any special flue gas control. Check with local regulations.

14. TRANSPORT INFORMATION

Land (RID / ADR):	Not regulated.
Sea (IMO / IMDG):	Not regulated.
Air (ICAO-IATA):	Not regulated.

15. REGULATORY INFORMATION

Chemical inventory	Status
Australia / AIC:	Y
Canada / DSL:	Y
China / IECSC:	Y
Europe / EINECS or ELINCS or NLP:	P
Japan / ENCS:	Y
Korea / KECI:	Y
New Zealand / NZIoC:	E
Philippines / PICCS:	Y
Taiwan / TCSI	Y
USA / TSCA (all relevant ingredients designated as active):	Y

Y = All ingredients are on the inventory.

E = All ingredients are on the inventory or exempt from listing.

P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

Borouge Pte Ltd
1 George Street, #18-01
Singapore 049145
T +65 6275 4100 F +65 6377 1233

Borouge is a joint venture of ADNOC and Borealis
Company Registration Number 199801755H

16. OTHER INFORMATION

Reasons for revision: Changes and / or additions made to Sections 2, 7, 15 and 16.

Prepared by: Product Stewardship Specialist
Date prepared: 18/02/2021
Document No.: CHSE-SIS-042
Rev. No.: 7

For more information:

Website: www.borouge.com | Email: product.stewardship@borouge.com

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication, however we do not assume any liability whatsoever for the accuracy and completeness of such information.

This statement is not intended and should not be construed as a warranty or representation of any kind for which Borouge would assume legal responsibility. Without anyway limiting the abovementioned, Borouge gives no warranties and makes no representations as to the merchantability or fitness for a particular purpose or application of Borouge products.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose.

The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borouge products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third-party materials.

All terms and conditions regarding the supply of Borouge products shall be subject to Borouge General Sales Terms.